

**REPORT NUMBER: 111SB-MGA-2009-004**

**SAFETY COMPLIANCE TESTING FOR  
FMVSS NO. 111SB  
SCHOOL BUS REARVIEW MIRRORS**

**BLUE BIRD BODY COMPANY  
2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
NHTSA NO.: C90902**

**PREPARED BY:  
MGA RESEARCH CORPORATION  
5000 WARREN ROAD  
BURLINGTON, WI 53105**



**TEST DATES: JANUARY 6, 2009 – JANUARY 12, 2009**

**FINAL REPORT DATE: JANUARY 27, 2009**

**FINAL REPORT**


**PREPARED FOR:  
U.S. DEPARTMENT OF TRANSPORTATION  
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION  
ENFORCEMENT  
OFFICE OF VEHICLE SAFETY COMPLIANCE  
MAIL CODE: NVS-220  
1200 NEW JERSEY AVENUE, S.E.  
WASHINGTON, D.C. 20590**

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings and conclusions expressed in this publication are those of the author(s) and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names or products are mentioned it is only because they are considered essential to the object of the publication and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Prepared by:  Date: January 27, 2009  
Eric Peschman, Project Engineer

Reviewed by:  Date: January 27, 2009  
Michael Janovicz, Program Manager

Final report accepted by:



January 27, 2009  
Date of Acceptance

### Technical Report Documentation Page

<p>1. <i>Report No.</i> 111SB-MGA-2009-004</p>	<p>2. <i>Government Accession No.</i> No.</p>	<p>3. <i>Recipient's Catalog No.</i></p>	
<p>4. <i>Title and Subtitle</i> Final Report of FMVSS 111 Compliance Testing of 2009 Blue Bird Micro Bird School Bus NHTSA No.: C90902</p>		<p>5. <i>Report Date</i> January 27, 2009</p>	
		<p>6. <i>Performing Organization Code</i> MGA</p>	
<p>7. <i>Author(s)</i> Eric Peschman, Project Engineer Michael Janovicz, Program Manager</p>		<p>8. <i>Performing Organization Report No.</i> 111SB-MGA-2009-004</p>	
<p>9. <i>Performing Organization Name and Address</i> MGA Research Corporation 5000 Warren Road Burlington, WI 53105</p>		<p>10. <i>Work Unit No.</i></p>	
		<p>11. <i>Contract or Grant No.</i> DTNH22-08-D-00075</p>	
<p>12. <i>Sponsoring Agency Name and Address</i> U.S. Department of Transportation National Highway Traffic Safety Administration Enforcement Office of Vehicle Safety Compliance Mail Code: (NVS-220) 1200 New Jersey Avenue, S.E. Washington, D.C. 20590</p>		<p>13. <i>Type of Report and Period Covered</i> Final Report 1/6/09 – 1/12/09</p>	
		<p>14. <i>Sponsoring Agency Code</i> NVS-220</p>	
<p>15. <i>Supplementary Notes</i></p>			
<p>16. <i>Abstract</i> Compliance tests were conducted on the subject 2009 Blue Bird Micro Bird School Bus, NHTSA No.: C90902 in accordance with the specifications of the Office of Vehicle Safety Compliance Test Procedure No. TP-111SB-00 for the determination of FMVSS 111 compliance.</p> <p>Test failures identified were as follows: None</p>			
<p>17. <i>Key Words</i>  Compliance Testing Safety Engineering FMVSS 111</p>		<p>18. <i>Distribution Statement</i> Copies of this report are available from: NHTSA, Technical Information Services (TIS) Mail Code: NPO-411 1200 New Jersey Avenue, S.E. Washington, D.C. 20590 Telephone No.: (202) 493-2833 E-mail: <a href="mailto:tis@dot.gov">tis@dot.gov</a></p>	
<p>19. <i>Security Classif. (of this report)</i> Unclassified</p>	<p>20. <i>Security Classif. (of this page)</i> Unclassified</p>	<p>21. <i>No. of Pages</i> 45</p>	<p>22. <i>Price</i></p>

## TABLE OF CONTENTS

<u>Section</u>		<u>Page No</u>
1	Purpose of Compliance Test	1
2	Test Data Summary	2
3	Compliance Test Data	5
	Data Sheet 1 - School Bus Inspection and Identification	6
	Data Sheet 2 - Mirror Location and Field of View	7
	Data Sheet 3 - Field of View Test	10
	Data Sheet 4 - Mounting Adequacy Test	11
	Data Sheet 5 - Reflectance Test	12
	Data Sheet 6 - Unit Magnification/Convex Mirror Test – All Mirrors	13
	Data Sheet 7 - Mirror Reflective Surface Area Test	17
4	Instrumentation and Equipment List	18
5	Photographs	19

**SECTION 1**  
**PURPOSE OF COMPLIANCE TEST**

Tests were conducted on a 2009 Blue Bird Micro Bird School Bus, NHTSA No.: C90902, in accordance with the specifications of the Office of Vehicle Safety Compliance (OVSC) Test Procedure TP-111SB-00 to determine compliance to the requirements of Federal Motor Vehicle Safety Standard (FMVSS) 111SB, "School Bus Rearview Mirrors."

This program is sponsored by the National Highway Traffic Safety Administration (NHTSA), under Contract No. DTNH22-08-D-00075.

**SECTION 2**  
**TEST DATA SUMMARY**

Based on the tests performed, the 2009 Blue Bird Micro Bird School Bus, NHTSA No.: C90902, appears to meet all of the requirements of FMVSS 111SB. See Test Summary Data Sheets on the following pages.

**FMVSS 111SB - SCHOOL BUS REARVIEW MIRRORS**

**TEST SUMMARY DATA SHEET**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**System A Mirrors**

**A. Driver Side Mirror #3 - Unit Magnification**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Surface Area	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--
Unit Magnification	<b>Pass</b>	--

**B. Passenger Side Mirror #4 - Unit Magnification**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Surface Area	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--
Unit Magnification	<b>Pass</b>	--

**C. Driver Side Mirror #5 - Convex**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--

**D. Passenger Side Mirror #6 - Convex**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--

**FMVSS 111SB - SCHOOL BUS REARVIEW MIRRORS**

**TEST SUMMARY DATA SHEET...continued**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**System B Mirrors**

**E. Driver Side Front Mirror #1 - Cross View**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Overlap with System A	<b>Pass</b>	--
Distance to Eye Point	<b>Pass</b>	--
No Surface Discontinuities	<b>Pass</b>	--
Surface Area	<b>Pass</b>	--
If Convex – Radius of Curvature	<b>Pass</b>	--
Radius of Curvature Label	<b>Pass</b>	--
Arc Separation	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--

**F. Passenger Side Front Mirror #2 - Cross View**

	Pass/Fail	Comments
Mounting	<b>Pass</b>	--
Field of View	<b>Pass</b>	--
Overlap with System A	<b>Pass</b>	--
Distance to Eye Point	<b>Pass</b>	--
No Surface Discontinuities	<b>Pass</b>	--
Surface Area	<b>Pass</b>	--
If Convex – Radius of Curvature	<b>Pass</b>	--
Radius of Curvature Label	<b>Pass</b>	--
Arc Separation	<b>Pass</b>	--
Reflectance	<b>Pass</b>	--

**SECTION 3**  
**COMPLIANCE TEST DATA**

**FMVSS 111SB - DATA SHEET 1**  
**SCHOOL BUS INSPECTION AND IDENTIFICATION**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**GENERAL VEHICLE IDENTIFICATION**

Final Stage Manufacturer	Blue Bird Body Company	Date of Mfg.	12/08
Incomplete Vehicle Manufacturer	Ford Motor Company	Date of Mfg.	10/08
GVWR (kg)	4,356	GAWR Front (kg)	1,838
VIN	1FDDE35L19DA17396	GAWR Rear (kg)	2,760

**DESCRIPTION OF MIRRORS**

Mirror No.	Type			Description	Manufacturer
	Unit Mag	Convex	Cross View		
1		X	X	Driver Side	Rosco Mirror
2		X	X	Passenger Side	
3	X			Driver Side	
4	X			Passenger Side	
5		X		Driver Side	
6		X		Passenger Side	

Recorded By: Brian Roud

Approved By: Michael Janoy


Date: January 6, 2009

**FMVSS 111SB - DATA SHEET 2**  
**MIRROR LOCATION AND FIELD OF VIEW**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**MIRROR DIAGRAM**



MIRROR NO.	TYPE	MIRROR SYSTEM	CYLINDERS VIEWED (ENTIRE TOP SURFACE)
1	CROSS VIEW/CONVEX	B	B, C, D, E, F, G, H, I, J, L, M
2	CROSS VIEW/CONVEX	B	A, D, E, F, G, H, I, K, N, O, P
3	UNIT MAGNIFICATION	A	61 Meter INDICATOR
4	UNIT MAGNIFICATION	A	61 Meter INDICATOR
5	CONVEX	A	L, M
6	CONVEX	A	N, O


SEE FIGURE ON NEXT PAGE

FMVSS 111SB - DATA SHEET 2...continued

MIRROR LOCATION AND FIELD OF VIEW

Test Vehicle: 2009 Blue Bird Micro Bird School Bus  
 Test Lab: MGA Research Corporation

NHTSA No.: C90902  
 Test Date: 1/6/2009 – 1/12/2009



- NOTES:
1. The cylinders shall be a color which provides a high contrast with the surface on which the bus is parked (S13.1).
  2. The cylinders are 0.3048 m high and 0.3048 m in diameter, except for cylinder P which is 0.9144 m high and 0.3048 m in diameter.

**FMVSS 111SB - DATA SHEET 2...continued**

**MIRROR LOCATION AND FIELD OF VIEW**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**SYSTEM A AND DIRECT VISION**

System A Mirrors	Pass/Fail
Entire top surface of cylinder N and the indicator 61 meters (200 feet) rearward of the mirror surface can be viewed in the photograph	<b>Pass</b>
Entire top surface of cylinder M and indicator 61 meters (200 feet) rearward of the mirror surface can be viewed in the photograph	<b>Pass</b>
Which test cylinders A through P can not be photographed directly from the driver's eye location within the semi-circle viewing area using no mirror system:	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P

**SYSTEM B ARC'S AND DISTANCE**

Mirror Number (from data sheet 2)	Mirror Location	Distance from the Driver's Eye Point to the Center of the Mirror (cm)	3 Minutes of Arc (cm)	9 Minutes of Arc (cm)
#1	1	217.6	.19	--
#2	2	278.9	.24	.73

Distance determined in column 3 multiplied by 0.000873 yield 3 minutes of arc, for column 4, for that mirror as viewed from the driver's eye point; the distances determined in column 3 multiplied by 0.002618 yield 9 minutes of arc, for column 5, for that mirror as viewed from the driver's eye point. The minimum distance for any system B mirror between the driver's eye point and the center of the mirror is more than 95 centimeters (37.5 inches):

	Distance	Pass/Fail
Distance between center of System B mirror #1 and driver's eye point	217.6 cm	<b>Pass</b>
Distance between center of System B mirror #2 and driver's eye point	278.9 cm	<b>Pass</b>

Recorded By: Brian Roach

Approved By: Michael Janoy

Date: January 6, 2009

**FMVSS 111SB - DATA SHEET 3**

**FIELD OF VIEW TEST – PHOTOGRAPHS System B**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

		Pass/Fail
All test cylinders with entire top surface not directly visible from the driver's semi-circle eye location are able to be viewed with System B mirrors from the driver's semi-circle location:		<b>Pass</b>
All test cylinders with entire top surface not directly visible from the driver's semi-circle eye location but the image can be viewed with System B mirrors. The image is separated for the edge of the effective mirror surface of the mirror providing that image by a distance of not less than 3 minutes of arc:		<b>Pass</b>
If the entire top surface of test cylinder P is not directly visible from the driver's semi-circle eye location, the image can be viewed with System B mirrors from the driver's semi-circle eye location, where the angular size of the shortest dimension of that cylinder's image is not less than 3 minutes of arc, and the angular size of the longest dimension of that cylinder's image is not less than 9 minutes of arc:		<b>Pass</b>
Shortest arc length dimension	1.99 mm	
Longest arc length dimension	7.51 mm	
For each of the test cylinders whose entire top surface is not directly visible from the driver's eye location, System B provides a view of the ground that overlaps with the view of the ground provided by System A.		<b>Pass</b>

Recorded By: Brian Road

Approved By: Michael Janoy

Date: January 6, 2009

**FMVSS 111SB - DATA SHEET 4**

**MOUNTING ADEQUACY TEST**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**MOUNTING SUPPORT OF ALL MIRRORS**

Mirror No. (from data sheet 2)	Type	System	Stable Support
			Yes/No
1	Cross View/Convex	B	Yes
2	Cross View/Convex	B	Yes
3	Unit Magnification	A	Yes
4	Unit Magnification	A	Yes
5	Convex	A	Yes
6	Convex	A	Yes

	Pass/Fail
Outside mirrors free of sharp points or edges that could contribute to pedestrian injury	<b>Pass</b>
System B mirrors have no discontinuities in the slope of the surface of the mirror	<b>Pass</b>

Recorded By: Brian Roach

Approved By: Michael Janoy

Date: January 6, 2009

**FMVSS 111SB - DATA SHEET 5**  
**REFLECTANCE TEST – ALL MIRRORS**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

Mirror No.	Type	Light meter reading from calibration (FC)	Light meter reading from light reflected by mirror (FC)	Pass/Fail	Observations
1	Crossview/Convex	31	20	Pass	None
2	Crossview/Convex	30	20	Pass	None
3	Unit Magnification	30	17	Pass	None
4	Unit Magnification	28	15	Pass	None
5	Convex	30	17	Pass	None
6	Convex	27	16	Pass	None

Note: Reflectance % = [Reflectance Reading / Calibration reading] x 100  
 Minimum Requirement = 35 percent

Mirror No.	Type	Reflectance	Requirement
1	Crossview/Convex	65.0%	>35%
2	Crossview/Convex	67.0%	>35%
3	Unit Magnification	57.0%	>35%
4	Unit Magnification	54.0%	>35%
5	Convex	57.0%	>35%
6	Convex	59.0%	>35%

Recorded By: Brian Roach

Approved By: Michael Janoy

Date: January 8, 2009

**FMVSS 111SB - DATA SHEET 6**

**UNIT MAGNIFICATION/CONVEX MIRROR TEST – ALL MIRRORS**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**CONVERSION DATA TABLE FROM SPHEROMETER DIAL  
 READING TO RADIUS OF CURVATURE**

**MIRROR NO. 1 (CONVEX)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.05355	134.1	48.7	26.7%
2	0.03540	202.3	-19.5	-10.6%
3	0.02555	279.9	-97.1	-53.1%
4	0.04910	146.1	36.7	20.1%
5	0.05065	141.7	41.1	22.5%
6	0.03585	199.7	-16.9	-9.3%
7	0.05200	138.0	44.8	24.5%
8	0.02855	250.6	-67.8	-37.1%
9	0.05420	132.5	50.3	27.5%
10	0.03525	203.1	-20.3	-11.1%
Avg. Radius of Curvature – The summation of column 3 divided by 10: 182.8 mm			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: -53.1 %	

**MIRROR NO. 2 (CONVEX)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.05345	134.3	48.5	26.5%
2	0.03595	199.2	-16.4	-9.0%
3	0.02535	282.1	-99.3	-54.3%
4	0.04985	143.9	38.9	21.3%
5	0.05065	141.7	41.1	22.5%
6	0.03595	199.2	-16.4	-9.0%
7	0.05120	140.2	42.6	23.3%
8	0.02835	252.3	-69.5	-38.0%
9	0.05430	132.3	50.6	27.7%
10	0.03530	202.8	-20.0	-11.0%
Avg. Radius of Curvature – The summation of column 3 divided by 10: 182.8 mm			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: -54.3 %	

**FMVSS 111SB - DATA SHEET 6...continued**

**UNIT MAGNIFICATION/CONVEX MIRROR TEST – ALL MIRRORS**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**CONVERSION DATA TABLE FROM SPHEROMETER DIAL  
 READING TO RADIUS OF CURVATURE**

**MIRROR NO. 3 (UNIT MAGNIFICATION)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.00000	NA	NA	NA
2	0.00000	NA	NA	NA
3	0.00000	NA	NA	NA
4	0.00000	NA	NA	NA
5	0.00000	NA	NA	NA
6	0.00000	NA	NA	NA
7	0.00000	NA	NA	NA
8	0.00000	NA	NA	NA
9	0.00000	NA	NA	NA
10	0.00000	NA	NA	NA
Avg. Radius of Curvature – the Summation of Column 3 divided by 10: N/A			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: N/A	

**MIRROR NO. 4 (UNIT MAGNIFICATION)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.00000	N/A	N/A	N/A
2	0.00000	N/A	N/A	N/A
3	0.00000	N/A	N/A	N/A
4	0.00000	N/A	N/A	N/A
5	0.00000	N/A	N/A	N/A
6	0.00000	N/A	N/A	N/A
7	0.00000	N/A	N/A	N/A
8	0.00000	N/A	N/A	N/A
9	0.00000	N/A	N/A	N/A
10	0.00000	N/A	N/A	N/A
Avg. Radius of Curvature – the Summation of Column 3 divided by 10: N/A			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: N/A	

**FMVSS 111SB - DATA SHEET 6...continued**

**UNIT MAGNIFICATION/CONVEX MIRROR TEST – ALL MIRRORS**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**CONVERSION DATA TABLE FROM SPHEROMETER DIAL  
 READING TO RADIUS OF CURVATURE**

**MIRROR NO. 5 (CONVEX)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.01435	498.0	-16.6	-3.4%
2	0.01525	468.6	12.8	2.7%
3	0.01505	474.9	6.6	1.4%
4	0.01550	461.1	20.4	4.2%
5	0.01475	484.5	-3.1	-0.6%
6	0.01515	471.7	9.7	2.0%
7	0.01430	499.7	-18.3	-3.8%
8	0.01470	486.2	-4.7	-1.0%
9	0.01435	498.0	-16.6	-3.4%
10	0.01515	471.7	9.7	2.0%
Avg. Radius of Curvature – the Summation of Column 3 divided by 10: 481.4 mm			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: 4.2 %	

**MIRROR NO. 6 (CONVEX)**

Test Position	Dial Reading (inches)	Radius of Curvature (mm)	Deviation between the Average Radius of Curvature and the Test Position Radius of Curvature (mm)	Percent Deviation from the Average Radius of Curvature
1	0.01440	496.3	-15.5	-3.2%
2	0.01510	473.3	7.5	1.6%
3	0.01510	473.3	7.5	1.6%
4	0.01555	459.6	21.2	4.4%
5	0.01440	496.3	-15.5	-3.2%
6	0.01510	473.3	7.5	1.6%
7	0.01435	498.0	-17.2	-3.6%
8	0.01490	479.6	1.1	0.2%
9	0.01465	487.8	-7.0	-1.5%
10	0.01520	470.2	10.6	2.2%
Avg. Radius of Curvature – the Summation of Column 3 divided by 10: 480.8 mm			Greatest Percent Deviation from the Average Radius of Curvature, Column 5: 4.4 %	

**FMVSS 111SB - DATA SHEET 6...continued**

**UNIT MAGNIFICATION/CONVEX MIRROR TEST – ALL MIRRORS**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**UNIT MAGNIFICATION IN SYSTEM A**

	Pass/Fail
At least one System A Mirror on the left and right sides of the bus is unit magnification - (0 Radius of Curvature)	<b>Pass</b>

**AVERAGE RADIUS OF CURVATURE  
OF CONVEX MIRRORS USED IN SYSTEM B**

Mirror No.	Radius of Curvature	If needed, wording printed properly* Pass/Fail
1	181.3 mm	<b>Pass</b>
2	182.8 mm	<b>Pass</b>

\* If any of the Convex Mirrors in System B have an average radius of curvature less than 889 mm, then the following words must be printed on a label in type face and color that are clear and conspicuous to the driver:

“USE CROSS VIEW MIRRORS TO VIEW PEDESTRIANS WHILE BUS IS STOPPED. DO NOT USE THESE MIRRORS TO VIEW TRAFFIC WHILE BUS IS MOVING, IMAGES IN SUCH MIRRORS DO NOT ACCURATELY SHOW ANOTHER VEHICLE’S LOCATION.”

Recorded By: Brian Roach

Approved By: Michael Janovic

Date: January 9, 2009

**FMVSS 111SB - DATA SHEET 7**  
**MIRROR REFLECTIVE SURFACE AREA TEST**  
**SYSTEM A & B**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
 Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
 Test Date: **1/6/2009 – 1/12/2009**

**DATA TABLE FOR SURFACE AREA**

System A Mirrors Mirror No.	Area	Requirement Min. 323 cm <sup>2</sup>	Pass/Fail
3	390.0 cm <sup>2</sup>	323 cm <sup>2</sup>	<b>Pass</b>
4	390.0 cm <sup>2</sup>	323 cm <sup>2</sup>	<b>Pass</b>
System B Mirrors Mirror No.	Area	Requirement Min. 258 cm <sup>2</sup>	Pass/Fail
1	628.0 cm <sup>2</sup>	258 cm <sup>2</sup>	<b>Pass</b>
2	628.0 cm <sup>2</sup>	258 cm <sup>2</sup>	<b>Pass</b>

Recorded By: Brian Roach

Approved By: Michael Janusz

Date: January 12, 2009

**SECTION 4**  
**INSTRUMENTATION AND EQUIPMENT LIST**

Test Vehicle: **2009 Blue Bird Micro Bird School Bus**  
Test Lab: **MGA Research Corporation**

NHTSA No.: **C90902**  
Test Date: **1/6/2009 – 1/12/2009**

	Digital Caliper	Light Meter	Tape Measure	Spherometer
Make	Starrett	AEMC	Stanley	MGA
Model	F2730-0	CA813	Powerlock 3M	001
Serial # (s)	021484579	04L1017Y	519	001
Range	0-50.8 mm	2000fc, 2000lux	0 to 8 m	$2.25 \times 10^{13}$ $(\text{cm} * \text{Hz}^{1/2}) \div W$
Accuracy	.001 mm	0.0 fc or 0.01 lux	1 mm	$1.1 \times 10^{-13}$ $W/H^{1/2}$
Cal. Date	09/02/08	04/30/08	09/30/08	Daily when used
Cal. Due Date	09/02/09	04/30/09	04/30/09	N/A

**SECTION 5  
PHOTOGRAPHS**

**TABLE OF PHOTOGRAPHS**

<u>No.</u>		<u>Page No.</u>
1	Three-Quarter Left Front View of School Bus	20
2	Three-Quarter Left Rear View of School Bus	21
3	Vehicle Certification Label	22
4	Vehicle Information Label	23
5	Vehicle Tire Placard	24
6	Right Front Cross View Mirror and Mounting	25
7	Passenger Side Rearview Mirror and Mounting	26
8	Inside Rearview Mirror and Mounting	27
9	Left Front Cross View Mirror and Mounting	28
10	Driver Side Rearview Mirror and Mounting	29
11	Field of View Instrument Setup	30
12	Mirror #2 System B Field of View	31
13	Mirror #1 System B Field of View	32
14	Mirror #3 and #5 System A Field of View	33
15	Mirror #4 and #6 System A Field of View	34
16	View of Cylinder Setup from Front	35
17	Three-Quarter Left Front View of Cylinder Setup	36
18	Three-Quarter Right Front View of Cylinder Setup	37
19	Front View Looking Thru the Windshield View of Cylinder Setup	38
20	Reflectance Test Set-up	39
21	Label for Cross View Mirror Warning	40
22	Cross View Mirror With Reference to Seated Driver	41

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Three-Quarter Left Front View of School Bus

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Three-Quarter Left Rear View of School Bus

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 - 1/12/09

MANUFACTURED BY

# BLUE BIRD BODY COMPANY

DATE OF MFR. 12/08

SUITABLE TIRE - RIM CHOICE


GVWR: 4356 KG ( 9600 LB)

GAWR : FRONT	1838	KG (	4050	LB)	WITH	LT245/75R16E	TIRES
	16X7.0K						
GAWR : REAR	2760	KG (	6084	LB)	WITH	LT245/75R16E	TIRES
	16X7.0K						
		RIMS. AT	379	KPA (	55	PSI)	COLD SINGLE
		RIMS. AT	551	KPA (	80	PSI)	COLD SINGLE

THIS VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE PRIOR MANUFACTURERS 'IVD, WHERE APPLICABLE. THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS, (AND BUMBER AND THEFT PREVENTION STANDARDS, IF APPLICABLE) IN EFFECT IN 10/08


V.I.N. 1FDDE35L19DA17396 TYPE CLASSIFICATION SCHOOL BUS

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
 Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 - 1/12/09



Vehicle Information Label

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
 Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



1FDDE35L19DA17396

**TIRE AND LOADING INFORMATION**

SEATING CAPACITY TOTAL 17 FRONT 1 REAR 16

The combined weight of occupants and cargo should never exceed 1099 kg or 2423 lbs.

TIRE	SIZE	COLD TIRE PRESSURE
FRONT	LT245/75R16E	379 KPA. 055 PSI
REAR	LT245/75R16E	551 KPA. 080 PSI
SPARE	LT245/75R16E	379 KPA. 055 PSI

SEE OWNER'S  
 MANUAL FOR  
 ADDITIONAL  
 INFORMATION

Vehicle Tire Placard

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Right Front Cross View Mirror and Mounting

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Passenger Side Rearview Mirror and Mounting

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Inside Rearview Mirror and Mounting

Test Vehicle: **2009 BLUE BIRD MICRO BIRD SCHOOL BUS** NHTSA No.: **C90902**  
Test Lab: **MGA RESEARCH CORPORATION** Test Dates: **1/6/09 – 1/12/09**



Left Front Cross View Mirror and Mounting

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Driver Side Rearview Mirror and Mounting

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Field of View Instrument Setup

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Mirror #2 System B Field of View

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Mirror #1 System B Field of View

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Mirror #3 and #5 System A Field of View

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Mirror #4 and #6 System A Field of View

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



View of Cylinder Setup from Front

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Three-Quarter Left Front View of Cylinder Setup

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Three-Quarter Right Front View of Cylinder Setup

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS NHTSA No.: C90902  
Test Lab: MGA RESEARCH CORPORATION Test Dates: 1/6/09 – 1/12/09



Front View Looking Thru the Windshield View of Cylinder Setup

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
NHTSA No.: C90902  
Test Dates: 1/6/09 – 1/12/09



Reflectance Test Set-up

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS  
Test Lab: MGA RESEARCH CORPORATION  
C90902  
NHTSA No.:  
1/6/09 – 1/12/09  
Test Dates:



Label for Cross View Mirror Warning

Test Vehicle: 2009 BLUE BIRD MICRO BIRD SCHOOL BUS C90902 NHTSA No.: 1/6/09 – 1/12/09  
Test Lab: MGA RESEARCH CORPORATION



Cross View Mirror With Reference to Seated Driver